

Clinical Commentary/Current Concept Review

Effective Attentional Focus Strategies after Anterior Cruciate Ligament Reconstruction: A Commentary

Harjiv Singh¹, Alli Gokeler², Anne Benjaminse^{3 a}

¹ Kinesiology and Nutrition Sciences, University of Nevada Las Vegas, ² Department Exercise & Health, Exercise Science and Neuroscience, University of Paderborn; Department of Public and Occupational Health, Amsterdam Movement Sciences, VU University Medical Center; OCON Centre of Orthopaedic Surgery and Sports Medicine, ³ Human Movement Sciences, Center for Human Movement Sciences, University of Groningen; School of Sport Studies, Hanze University Groningen

Keywords: rehabilitation, motor learning, acl, attentional focus

<https://doi.org/10.26603/001c.29848>

International Journal of Sports Physical Therapy

Vol. 16, Issue 6, 2021

Individuals after anterior cruciate ligament reconstruction (ACLR) have a high rate of reinjury upon return to competitive sports. Deficits in motor control may influence reinjury risk and can be addressed during rehabilitation with motor learning strategies. When instructing patients in performing motor tasks after ACLR, an external focus of attention directed to the intended movement effect has been shown to be more effective in reducing reinjury risk than an internal focus of attention on body movements. While this concept is mostly agreed upon, recent literature has made it clear that the interpretation and implementation of an external focus of attention within ACLR rehabilitation needs to be better described. The purpose of this commentary is to provide a clinical framework for the application of attentional focus strategies and guide clinicians towards effectively utilizing an external focus of attention in rehabilitation after ACLR.

Level of Evidence

5

INTRODUCTION

A rupture of the anterior cruciate ligament (ACL) is one of the most common sport related injuries. Patients who want to continue to pursue pivoting type of sports often undergo ACL reconstruction (ACLR) followed by extensive periods of rehabilitation. However, patients after ACLR still may have up to a 40 times greater risk of reinjury relative to those without injury.¹ Following ACLR, aberrant movement patterns have been linked to an increased risk of a second ACL injury and may also explain why not all patients return to their pre-injury level.²⁻⁴ Current rehabilitation approaches may not optimally target deficits in motor control. An emphasis on the dynamics of skill (re)acquisition in current rehabilitation programs have been recommended to target these motor control deficits.⁵⁻⁹ To best improve motor learning and performance after ACLR clinicians may

need to consider the way in which verbal instruction and feedback influences attentional focus and thus skill development throughout the rehabilitation process.⁹⁻¹¹

A traumatic injury, such as an ACL rupture, may trigger a cognitive disruption and has the potential for maladaptive neuroplasticity with motor and premotor areas of the cortex being more active during simple movement tasks compared to uninjured individuals.^{12,13} Loss of function, pain, fear of reinjury, and other psychological factors may cause a shift in focus towards the injured area such as the knee. Therefore, the patient recovering from the injury is excessively focusing on the injured area during movement execution.¹⁴⁻¹⁷ This focus directed towards body movements, and accompanying brain adaptations, potentially deters motor performance after sports injury. Return to high level performance may benefit from the adoption of an external focus of attention when providing instructions directed to-

^a Corresponding Author:

Anne Benjaminse
Center for Human Movement Science
University Medical Center Groningen
University of Groningen
Antonius Deusinglaan 1
9713 AV Groningen
The Netherlands
Email: a.benjaminse@umcg.nl

wards the intended movement effect.^{17,18} However, clinicians utilize internal focus instructions over 90% of the time.^{19,20} This extra focus on the body may stimulate the motor and premotor areas of the cortex to be active to a greater degree. While a rationale may be that an internal focus is necessary to progress from the cognitive stage of learning to the associative and automatic stage, this view is not well supported in the motor learning literature.^{21,22} Furthermore, misconceptions regarding when to use an external focus of attention (e.g. early vs. late rehabilitation or description vs. execution of movement) alongside a recent body of literature that has attempted to extend this work into hybrid models, warrants a critical evaluation. Therefore, the purpose of this commentary is to provide a clinical framework for the application of attentional focus strategies and guide clinicians towards effectively utilizing an external focus of attention throughout ACLR rehabilitation.

CONSIDERING AN EXTERNAL FOCUS OF ATTENTION TO OPTIMIZE MOVEMENT OUTCOME

A subtle change in the wording of exercise instruction prior to movement execution can promote an external focus of attention so that attention is directed to one's intended effect of the movement (goal-directed attention), in contrast to paying attention to one's own body movements (i.e., internal focus of attention or self-directed attention). This external focus of attention centers on the ability to engage both the perceptual-cognitive and physical performance factors in the functional task environment.²³ For example, in an effort to improve balance performance, a patient may perform a single leg balance task on a Bosu ball (BOSU, Ashland, OH). A clinician may instruct the patient using an internal focus of attention such as, "minimize movement of the feet". However, by just changing one word to "minimize movement of the Bosu" the instructions become externally focused. In addition, an external focus of attention can also be elicited by means of a metaphor (e.g., "stand still like you are stuck on Velcro"), analogy ("imagine you are on the peak of a mountain, stay on the mountain!"), an object attached to the body ("keep the tape attached to the chest still"), or an imagined object, where a mental image of the movement goal is obtained (e.g., thinking of the leg as a line, "keep the line straight").²⁴⁻²⁸

The benefit of an external focus of attention compared to an internal focus of attention for enhancing motor skill learning and performance has consistently been shown through a large body of evidence across different populations, tasks, and skill levels.^{10,29,30} These include tasks such as balancing, running, agility performance, change of direction performance, force production, and horizontal and vertical jump performance.^{6,31-38} Collectively, an external focus of attention has been shown to produce more accurate performance, improved reaction time, and more efficient movement (e.g., reduced muscular activity).³⁹⁻⁴¹ Also in athletes following an ankle sprain, those who received external focus instructions to "keep your balance by stabilizing the platform" demonstrated improved balance after training compared to an internal focus group instructed to

"keep your balance by stabilizing your body".¹⁸

In primary ACL injury prevention, there is evidence which illustrates how an external focus of attention can lead to improved movement form, jump performance, and result in safer landing mechanics. A literature review on jump and landing technique showed that an external focus of attention improves movement with greater knee flexion angles, greater center of mass (CoM) displacement, lower peak vertical ground reaction force (vGRF), and improved neuromuscular coordination, while maintaining or improving performance (i.e., jump height or distance).⁶ These findings suggest a decrease in ACL injury risk.

In another example, the effects of an internal and external focus of attention on landing forces were compared in adolescent rugby players before and after a two-week training program. An external focus directed to "focus on landing softly" resulted in a reduction in landing forces with the addition of a secondary cognitive task compared to an internal focus of attention directed to "focus on bending your knees when you land," which showed an increase in landing forces with the addition of a secondary cognitive task.⁴² Therefore, an external focus of attention utilized less conscious control in dual-task conditions which is similar to the conditions that athletes may face when returning to sport. Similarly, using an external focus of attention was also shown to immediately result in reduced landing stiffness in female athletes as well as improved landing technique compared to an internal focus of attention.^{43,44} In a recent study utilizing the Landing Error Scoring System (LESS), colored tape was attached to each participant's mid patella alongside the tips of their shoes.⁴⁵ The external focus of attention instructions were: "when landing from the box, focus on pushing the red tapes (attached to the mid patella) forward, and pointing the green tapes (attached to the tips of the shoes) forward." The internal focus instructions were, "when landing from the box, focus on pushing your knees forward, and pointing your toes forward." Better landing quality, expressed by a lower LESS score, was achieved using an external focus of attention compared to internal focus of attention. In another jump landing study, athletes training with an external focus of attention ("push yourself as hard as possible off the ground after landing on the force plate") demonstrated greater knee flexion range of motion compared to another group training with an internal focus of attention ("extend your knees as rapidly as possible after the landing on the force plate"). These results were not only retained one week later, but also carried over to an unanticipated sidestep cutting task.⁴⁶

An external focus of attention may be successful by facilitating functional connectivity, modulating surround inhibition, and increasing intracortical inhibition to resemble the sensorimotor integration typically seen in more skilled action.⁴⁷⁻⁴⁹ The constrained action hypothesis suggests that an internal focus disrupts the motor system by promoting conscious control which leads to a breakdown in the otherwise natural organized coordination of one's movement. On the other hand, an external focus allows for a greater degree of self-organization by promoting automatic control processes.³² Therefore, if movements are not planned in terms of the intended movement effect, but in terms of specific body movements, the outcome will be less-

than-optimal.⁵⁰ Additionally, an external focus has been recognized as a critical element to goal-action coupling, strengthening the neuromuscular processes between the patient's movement goal and desired movement action.⁵¹

Thus, it is clear that just a slight change of wording can affect motor learning and performance.^{52,53} Because instructions and feedback are constantly used in rehabilitation of ACLR patients, the effect of different constructs of language on movement mechanics should not be underestimated. Recent literature shows that several misconceptions of what an external focus is and how it should be implemented within ACL injury rehabilitation exist. In the following sections, a brief review of this literature along with clinical examples is provided to help aide clinicians in effectively utilizing an external focus of attention.

STAGES OF LEARNING

Rehabilitation after ACLR can be categorized into three stages: early, intermediate and late. For the intermediate phase, it has been recommended that an internal focus of attention is necessary to achieve sound movement patterns to restore motor function (i.e., muscle contraction ability) with patients only being able to adopt the 'right' way of moving when you tell them explicitly how to do it.^{22,54} Then, during the progression of the exercises, external factors that increase task complexity such as hurdles or unstable surfaces should be added.²² These assumptions are based on more traditional views of motor learning where a linear progression for learning or re-learning motor skills is paramount.^{55,56} Traditional teaching of exercise also tends to emphasize specific step-by-step detailed instruction of a movement pattern for repetitive rehearsal (providing an "optimal" way to perform a specific movement), as well as the application of corrective and frequent feedback in repeating a movement technique.^{57,58} Briefly, through this lens, attentional demands transition from being under high conscious control to being controlled with very little cognitive effort over time as movements become more accurate, consistent, and efficient. However, as described by a more recent non-linear progression for learning, a given range of possible movement solutions should allow clinicians to guide patients as they self-organize and find their optimal movement to reach the goal of the movement (e.g., soft landing).^{7,57} As compared to internal focus of attention, an external focus provides the opportunity for self-organizing, as shown by efficient recruitment of motor units, fewer co-contraction of muscles, increased functional variability, and a "freeing" of the body's degrees of freedom.⁵⁸⁻⁶⁰ An external focus seems to speed up the learning process, displaying adoption of movement patterns similar to more skilled performance. This effect can be seen in both the early stages of learning (i.e., novice) and the later stages of learning.¹⁰ For example, in an early-phase rehabilitation isometric force production task performed by healthy physically active individuals, an external focus directed to "focus on pushing up into this pad as hard as you can" resulted in an 8% increase in force production of the gluteus medius compared to an internal focus of attention directed to "focus on contracting the muscles of your outer hip as hard as you can."⁶¹ Moreover, using an app-based active muscle training pro-

gram (GenuSport Knee Trainer, Weber-Spickschen) where the aim is to produce force by pushing the knee down into the measuring unit, patients post ACLR improved strength significantly more compared to a control group who trained with an internal focus of attention. In the former, the patient attends to a game on the tablet, rather than their body part, to control a flight course of an airplane with the aim to destroy balloons.⁶²

The second assumption is that once one starts to transition into the late rehabilitation phase, adding aspects to the environment (e.g., hurdle, ball, or an unstable surface) leads to a shift to an external focus of attention.²² However, adding environmental factors do not shift the patient's attention to an external focus but simply refer to objects in the environment and not one's intended movement effect. Likewise, in the later stages of rehabilitation, it is suggested to progress from closed skills (e.g., usually self-paced, predictable skills that are decontextualized from the environment) with an internal focus of attention to more open, sport-specific skills with an external focus.²² Here, it is assumed that an internal focus of attention is better or equivalent for closed skills and external focus for open skills (e.g., patients have to make decisions and adapt their skills to an unpredictable environment).²² In contrast, it is also assumed that practicing closed skills cannot benefit from external focus instructions because the individual lacks correct movement patterns. However, the benefit of an external focus has been shown in both closed and open skills.^{10,34,63,64} This effect also extends across early and late stages of learning. Therefore, clinicians should evaluate the task goal, establish an optimal challenge level, consider patient preferences regarding the appropriate instructions, and create an external focus in relation to the patient's action capability within the functional task environment.^{32,65-68} Regardless of utilizing a closed or open skill, it is recommended to keep exercises as representative as possible of conditions that patients will return to through all stages of rehabilitation.²³

DESCRIPTION VS. EXECUTION

Another misconception is that with an external focus of attention, patients are not allowed to know the goal of the exercises (e.g., increase knee flexion, deeper landing) or focus on their body to perform the requested movement.⁶⁹ However, an external focus does not mean that the patient is not aware of her or his body movements⁵⁰ but rather means the patient is focusing on the intended movement effect – while preparing for the execution of a ballistic skill (e.g., throwing or hitting a ball) or during the execution of a continuous skill (e.g., balancing, swimming, cross-country skiing). Adopting an external focus is thus related to the planning of the movement, not with the processing of intrinsic feedback or bodily awareness.⁵⁰ This does not mean that a clinician must never use body related words that elicit an internal focus of attention but verbiage should be limited to the description portion prior to the execution of the motor skill.

It is important to differentiate between telling the patient the goal of the exercise and the instructions and feedback being provided during practice. In case of rehabilitation after ACLR, this would mean that you can explicitly tell




Figure 1. Illustrating the difference between explaining the goal of an exercise and the subsequent attentional foci a clinician can choose for his/her instruction/feedback just prior to practice.

the patient the general goal of an exercise. For example, “the goal of this exercise is to improve your knee bending while landing, as this promotes a softer landing, which is better for your knee.” Then, as your patient is preparing to execute the exercise, it is critical to shift their attentional focus that corresponds closest to the task goal. This means, the physiotherapist can choose either an internal focus of attention (e.g. “flex your knee when landing”, as most frequently done) or an external focus of attention (e.g. “focus on landing with as little noise as possible” or “pretend you are going to sit on a chair when landing”) (Figure 1).⁶ With the external focus of attention, you do not have to explicitly tell the patient how, rather give the patient the freedom to come up with a solution to complete the goal of the task in the functional environment (less noise during landing from a jump). Here the patient is allowed to seek out relevant features of the task environment to shape self-organization. One must recognize there will not be one perfect movement solution.⁷ Based upon the intrinsic dynamics of the patient and the channeling of exploratory movement solutions, clinicians should highlight the existence of a multitude of stable movement patterns and solutions for a task.⁷⁰ In the example above, the end effect is the same (i.e., increased bending in the knee when landing), however the focus of the patient when executing the motor task is different. As a result, shifting to an external focus may lead to better movement form both in practice, during retention, and upon transfer to more competition and game-like interactions.

THE RIGHT FOCUS

While the purpose of this commentary is to illustrate that

word choices are crucial to implement an external focus of attention, this is not a new phenomenon or discussion. Over the last several years there has been an increase in research related to attentional focus, ACLR rehabilitation, and biomechanical risk factors related to ACL injury. However, the terminology encompassing an external focus of attention has lately been extended to descriptions such as: ‘external factors’, ‘external cueing’, ‘external focus of control’, ‘external goal’, ‘externally focused motivation’, ‘external feedback’, ‘external feedback motivation’, ‘visual external focus’ and ‘external visuospatial environment’.^{54,71–74} As a result, the research relating to attentional focus can be hard to interpret. Attentional focus is defined as the conscious effort of a patient to focus their attention on explicit thoughts or feelings in an effort to execute a task with superior performance.⁶⁹ Attentional focus relates closely to what you tell your patient(s) prior to the execution of the exercise whereby you direct them where to focus their attention: internally (i.e. on body part(s) and movement(s)) or externally (i.e. on intended movement effect). Hybrid instructions, such as “step toward the cone by pushing the floor away with your back foot” for the execution of a lunge or “balance a board flat across your shoulders” for the correction of excessive lateral trunk flexion on squat jump landing are not recommended.^{54,74} These hybrid instructions are not purely an external focus of attention as they include a reference to a body part: the back foot. This “self-invoking trigger” may result in inefficient activation of the neuromuscular system.^{75,76} A minor change such as “step toward the cone by pushing the floor away with your back shoe” or “balance a board flat across your shirt” would make this instruction solely an external focus instruction. While the inclusion of motor learning principles in physical therapy

Table 1. Example exercises and attentional focus strategies for early phase rehabilitation.

EARLY				
Using a criteria-based, evidence-based constructed approach to rehabilitation after ACL surgery is essential to progress a patient systematically and successfully through the rehabilitation process. It is imperative to control post-operative pain, inflammation and swelling during the first weeks of rehabilitation. Calming the knee down initially, starting slowly, will allow the rehabilitation to accelerate faster in the long run. Post-operative rehabilitation begins with a range of movement exercises, emphasizing full passive knee extension and weight-bearing activities immediately post-operatively.				
EXERCISE EXAMPLES				
Knee Extension on a Bolster	Straight Leg Raise	Glute Bridge	Balance (Single-leg on balance board)	Gait
INTERNAL FOCUS				
"Press your knee toward the table"	"Lift your leg 6 inches off the ground"	"First, tighten your abdominals, keep them activated, then lift your hips off the floor"	"Focus on keeping your pelvis as still as possible"	"Extend your knee while walking"
EXTERNAL FOCUS				
"Press the bolster toward the ground"	"Lift your shoe 6 inches off the ground"	"Push into the ground and bring this marker off the floor" (marker on waist)	"Minimize the movement of the balance board"	"Focus on the markers drawn on the floor" (markers based on symmetrical gait cycle)

have been around for over a decade, the above-mentioned misinterpretations regarding the definition and application of an external focus offer an opportunity to re-evaluate how motor learning principles are being applied as a means to treat complex injuries such as the ACL injury.^{6-9,11} Creating and implementing an external focus takes time and requires practice but may help to optimize patient care. Clinical examples that will offer clinicians examples of how to incorporate external focus in their practice are provided for the early (Table 1), intermediate (Table 2), and late (Table 3) phases of rehabilitation.

CONCLUSION

Targeting deficits in motor control is a critical component for ACLR rehabilitation. One way to potentially improve neuromuscular control is by altering how attentional focus is directed when performing motor skills across early, middle, and late phases of rehabilitation. An external focus of attention offers an alternative strategy that facilitates automatic movement control and results in more effective performance and learning than an internal focus of attention. Clinicians are encouraged to adopt an external focus of attention in their practice over an internal focus of attention to promote optimal movement strategies throughout rehabilitation interventions. Further, researchers should strive to use similar terminology when it comes to describing attentional focus interventions into experimental designs.

applications of this research. The authors report no conflicts of interest.

Submitted: April 19, 2021 CST, Accepted: August 24, 2021 CST

DISCLOSURE STATEMENT

No financial interest or benefit has arisen from the direct

Table 2. Example exercises and attentional focus strategies for intermediate phase rehabilitation.

INTERMEDIATE				
As the patient becomes stronger and elicits more stable motor patterns, exercises are varied more often and become sport specific. Both pain and amount of exertion should continue to be monitored.				
EXERCISE EXAMPLES				
Running	Bilateral squat on unstable surface	Split squat jump	Bilateral rotational jump 90° turn	Single leg hopping multiple directions
INTERNAL FOCUS				
"Land on your forefoot"	"Lower your hips until your thighs are parallel to the floor, then return to standing"	"Flex your knees to 90° when landing"	"Start in a squat position, jump and turn so that your hips are facing the wall while flexing the knees when landing"	"Flex your knees to 90° when landing"
		"Extend your knees away from the ground"		"Keep your knee above your toes when landing"
		"Keep your knee over your toes when landing"		
EXTERNAL FOCUS				
"Touch floor with coloured part of your shoes" (tape on forefoot)	"Imagine you are going to sit on a chair and then return to standing"	"Push the floor away when jumping"	"Start in a squat position, jump and turn so that the marker is facing the wall" (tape marker (or shirt logo) on chest)	"Point the tape towards the cones when landing" (tape on tibial tuberosity)
"Lower noise from both feet from 8 to 4" (using VAS scale 0 is no noise, 10 is loud noise)	"Lower down until you slightly tap the bench" (bench behind person)	"Get away from the grass/floor when jumping"	"Start in a squat position, jump and keep tension on the cord and land" (elastic cord around waist)	"Keep the pieces of tape in line of each other when landing" (tape on tibial tuberosity and on dorsal side of foot)
	"Keep the water as still as possible" (cup of water on the unstable surface)	"Drive the tape to the sky" (tape on chest)	"Lower noise when landing from 8 to 4" (using VAS scale 0 is no noise, 10 is loud noise)	
		"Lower in line with your laces"	"Drive the tape down and back" (tape on hips)	

Table 3. Example exercises and attentional focus strategies for late phase rehabilitation.

LATE		
As the patient engages in more sport-specific activities, multi-planar movements are incorporated in preparation to return to sport.		
EXERCISE EXAMPLES		
Agility "L" Run	Lateral Shuffle	Unanticipated Change of Direction Cone Drill
INTERNAL FOCUS		
"For the turn, focus on planting your foot as quickly as possible"	"Bend your knees to 90° when shuffling"	"When making the cut, bend your knee"
		"When making the cut, keep your knees over your toes"
EXTERNAL FOCUS		
"For the turn, focus on getting to the next cone fast"	"While shuffling, keep the bottom of your shorts parallel to the floor"	"When making the cut, push yourself off of the ground as hard as possible"
"When making the turn, move the logo on your shirt towards your running direction"		"When making the cut, move towards the new cone quickly"
"When making the turn, point the tip of your shoe towards new running direction"		"When making the cut, point the tape on the tip of your shoe towards new running direction"



This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CCBY-NC-4.0). View this license's legal deed at <https://creativecommons.org/licenses/by-nc/4.0> and legal code at <https://creativecommons.org/licenses/by-nc/4.0/legalcode> for more information.

REFERENCES

1. Wiggins AJ, Grandhi RK, Schneider DK, Stanfield D, Webster KE, Myer GD. Risk of secondary injury in younger athletes after anterior cruciate ligament reconstruction: A systematic review and meta-analysis: A systematic review and meta-analysis. *Am J Sports Med.* 2016;44(7):1861-1876. doi:10.1177/0363546515621554
2. Paterno MV, Ford KR, Myer GD, Heyl R, Hewett TE. Limb asymmetries in landing and jumping 2 years following anterior cruciate ligament reconstruction. *Clin J Sport Med.* 2007;17(4):258-262. doi:10.1097/jsm.0b013e31804c77ea
3. Paterno MV, Rauh MJ, Schmitt LC, Ford KR, Hewett TE. Incidence of second ACL injuries 2 years after primary ACL reconstruction and return to sport. *Am J Sports Med.* 2014;42(7):1567-1573. doi:10.1177/0363546514530088
4. Kaur M, Ribeiro DC, Theis J-C, Webster KE, Sole G. Movement patterns of the knee during gait following ACL reconstruction: A systematic review and meta-analysis. *Sports Med.* 2016;46(12):1869-1895. doi:10.1007/s40279-016-0510-4
5. Gokeler A, Neuhaus D, Benjaminse A, Grooms DR, Baumeister J. Correction to: Principles of motor learning to support neuroplasticity after ACL injury: Implications for optimizing performance and reducing risk of second ACL injury. *Sports Med.* 2019;49(6):979-979. doi:10.1007/s40279-019-01078-w
6. Benjaminse A, Welling W, Otten B, Gokeler A. Novel methods of instruction in ACL injury prevention programs, a systematic review. *Phys Ther Sport.* 2015;16(2):176-186. doi:10.1016/j.ptsp.2014.06.003
7. Benjaminse A, Otten E. ACL injury prevention, more effective with a different way of motor learning? *Knee Surg Sports Traumatol Arthrosc.* 2011;19(4):622-627. doi:10.1007/s00167-010-1313-z
8. Gokeler A, Benjaminse A, Seil R, Kerkhoffs G, Verhagen E. Using principles of motor learning to enhance ACL injury prevention programs. *Sports Orthop Traumatol.* 2018;34(1):23-30. doi:10.1016/j.orthr.2017.12.006
9. Gokeler A, Benjaminse A, Hewett TE, et al. Feedback techniques to target functional deficits following anterior cruciate ligament reconstruction: Implications for motor control and reduction of second injury risk. *Sports Med.* 2013;43(11):1065-1074. doi:10.1007/s40279-013-0095-0
10. Wulf G. Attentional focus and motor learning: A review of 15 years. *Int Rev Sport Exerc Psychol.* 2013;6(1):77-104. doi:10.1080/1750984x.2012.723728
11. Benjaminse A, Gokeler A, Dowling AV, et al. Optimization of the anterior cruciate ligament injury prevention paradigm: Novel feedback techniques to enhance motor learning and reduce injury risk. *J Orthop Sports Phys Ther.* 2015;45(3):170-182. doi:10.2519/jospt.2015.4986
12. Needle AR, Lopley AS, Grooms DR. Central Nervous System Adaptation After Ligamentous Injury: A Summary of Theories, Evidence, and Clinical Interpretation. *Sports Med.* 2016;47(7):1271-1288. doi:10.1007/s40279-016-0666-y
13. Grooms D, Appelbaum G, Onate J. Neuroplasticity following anterior cruciate ligament injury: A framework for visual-motor training approaches in rehabilitation. *J Orthop Sports Phys Ther.* 2015;45(5):381-393. doi:10.2519/jospt.2015.5549
14. Hsu C-J, Meierbachtol A, George SZ, Chmielewski TL. Fear of reinjury in athletes: Implications for rehabilitation. *Sports Health.* 2017;9(2):162-167. doi:10.1177/1941738116666813
15. Ardern CL, Taylor NF, Feller JA, Whitehead TS, Webster KE. Psychological responses matter in returning to preinjury level of sport after anterior cruciate ligament reconstruction surgery. *Am J Sports Med.* 2013;41(7):1549-1558. doi:10.1177/0363546513489284
16. Podlog L, Dimmock J, Miller J. A review of return to sport concerns following injury rehabilitation: Practitioner strategies for enhancing recovery outcomes. *Phys Ther Sport.* 2011;12(1):36-42. doi:10.1016/j.ptsp.2010.07.005
17. Gray R. Differences in attentional focus associated with recovery from sports injury: Does injury induce an internal focus? *J Sport Exerc Psychol.* 2015;37(6):607-616. doi:10.1123/jsep.2015-0156
18. Laufer Y, Rotem-Lehrer N, Ronen Z, Khayutin G, Rozenberg I. Effect of attention focus on acquisition and retention of postural control following ankle sprain. *Arch Phys Med Rehabil.* 2007;88(1):105-108. doi:10.1016/j.apmr.2006.10.028

19. Durham K, Van Vliet PM, Badger F, Sackley C. Use of information feedback and attentional focus of feedback in treating the person with a hemiplegic arm: Use of attentional focus of feedback following stroke. *Physiother Res Int*. 2009;14(2):77-90. doi:10.1002/pri.431
20. Johnson L, Burridge JH, Demain SH. Internal and external focus of attention during gait re-education: An observational study of physical therapist practice in stroke rehabilitation. *Phys Ther*. 2013;93(7):957-966. doi:10.2522/ptj.20120300
21. Fitts PM, Posner MI. *Human Performance*. Westport, CT: Praeger; 1979.
22. Filbay SR, Grindem H. Evidence-based recommendations for the management of anterior cruciate ligament (ACL) rupture. *Best Pract Res Clin Rheumatol*. 2019;33(1):33-47. doi:10.1016/j.berh.2019.01.018
23. Gokeler A, McKeon PO, Hoch MC. Shaping the Functional Task Environment in Sports Injury Rehabilitation: A Framework to Integrate Perceptual-Cognitive Training in Rehabilitation. *Athletic Training & Sports Health Care*. 2020;12(6):283-292. doi:10.3928/19425864-20201016-01
24. Abdollahipour R, Wulf G, Psotta R, Palomo Nieto M. Performance of gymnastics skill benefits from an external focus of attention. *J Sports Sci*. 2015;33(17):1807-1813. doi:10.1080/02640414.2015.1012102
25. Yamada M, Raisbeck LD, Porter JM. The effects of using imagery to elicit an external focus of attention. *Res Q Exerc Sport Published online*. 2020:1-7.
26. Wulf G, Lauterbach B, Toole T. The learning advantages of an external focus of attention in golf. *Res Q Exerc Sport*. 1999;70(2):120-126. doi:10.1080/02701367.1999.10608029
27. Ong NT, Bowcock A, Hodges NJ. Manipulations to the timing and type of instructions to examine motor skill performance under pressure. *Front Psychol*. 2010;1(196). doi:10.3389/fpsyg.2010.00196
28. Singh H, Wulf G. Mind over body: Creating an external focus for sport skills. *EJSS (Champaign)*. 2021;2021:1-7. doi:10.1080/17461391.2021.1887367
29. Lohse KR, Wulf G, Lewthwaite R. Attentional focus affects movement efficiency. In: Hodges NJ, Williams MA, eds. *Skill Acquisition in Sport: Research, Theory, & Practice*. Routledge; 2012:40-58.
30. Wulf G, Prinz W. Directing attention to movement effects enhances learning: A review. *Psychon Bull Rev*. 2001;8(4):648-660. doi:10.3758/bf03196201
31. Wulf G, Höß M, Prinz W. Instructions for motor learning: Differential effects of internal versus external focus of attention. *J Mot Behav*. 1998;30(2):169-179. doi:10.1080/00222899809601334
32. McNevin NH, Shea CH, Wulf G. Increasing the distance of an external focus of attention enhances learning. *Psychol Res*. 2003;67(1):22-29. doi:10.1007/s00426-002-0093-6
33. Schücker L, Hagemann N, Strauss B, Völker K. The effect of attentional focus on running economy. *J Sports Sci*. 2009;27(12):1241-1248. doi:10.1080/02640410903150467
34. Tsetseli M, Zetou E, Vernadakis N, Mountaki F. The attentional focus impact on tennis skills' technique in 10 and under years old players: Implications for real game situations. *J Hum Sport Exerc*. 2018;13(2). doi:10.14198/jhse.2018.132.15
35. Marchant DC. Attentional focusing instructions and force production. *Front Psychol*. 2010;1(210).
36. Porter JM, Ostrowski EJ, Nolan RP, Wu WFW. Standing long-jump performance is enhanced when using an external focus of attention. *J Strength Cond Res*. 2010;24(7):1746-1750. doi:10.1519/jsc.0b013e3181df7fbf
37. Ducharme SW, Wu WFW, Lim K, Porter JM, Geraldo F. Standing long jump performance with an external focus of attention is improved as a result of a more effective projection angle. *J Strength Cond Res*. 2016;30(1):276-281. doi:10.1519/jsc.0000000000001050
38. Wulf G. Increases in jump-and-reach height through an external focus of attention: A response to the commentary by Keith Davids. *Int J Sports Sci Coach*. 2007;2(3):289-292. doi:10.1260/174795407782233173
39. Lohse KR. The influence of attention on learning and performance: Pre-movement time and accuracy in an isometric force production task. *Hum Mov Sci*. 2012;31(1):12-25. doi:10.1016/j.humov.2011.06.001
40. Wulf G, Su J. An external focus of attention enhances golf shot accuracy in beginners and experts. *Res Q Exerc Sport*. 2007;78(4):384-389. doi:10.1080/02701367.2007.10599436
41. Wulf G, Dufek JS, Lozano L, Pettigrew C. Increased jump height and reduced EMG activity with an external focus. *Hum Mov Sci*. 2010;29(3):440-448. doi:10.1016/j.humov.2009.11.008

42. Widenhoefer TL, Miller TM, Weigand MS, Watkins EA, Almonroeder TG. Training rugby athletes with an external attentional focus promotes more automatic adaptations in landing forces. *Sports Biomech.* 2019;18(2):163-173. doi:10.1080/14763141.2019.1584237
43. Almonroeder TG, Jayawickrema J, Richardson CT, Mercker KL. The influence of attentional focus on landing stiffness in female athletes: A cross-sectional study. *Int J Sports Phys Ther.* 2020;15(4):510-518. doi:10.26603/ijsp20200510
44. Welling W, Benjaminse A, Gokeler A, Otten B. Enhanced retention of drop vertical jump landing technique: A randomized controlled trial. *Hum Mov Sci.* 2016;45:84-95. doi:10.1016/j.humov.2015.11.008
45. Yamada M, Raisbeck LD. The effects of attentional focus instructions specific to body movements on movement quality and performance. *J Sport Rehabil.* 2021;30(3):422-429. doi:10.1123/jsr.2019-0344
46. Benjaminse A, Welling W, Otten B, Gokeler A. Transfer of improved movement technique after receiving verbal external focus and video instruction. *Knee Surg Sports Traumatol Arthrosc.* 2018;26(3):955-962. doi:10.1007/s00167-017-4671-y
47. Kuhn Y-A, Keller M, Ruffieux J, Taube W. Adopting an external focus of attention alters intracortical inhibition within the primary motor cortex. *Acta Physiol.* 2017;220(2):289-299. doi:10.1111/apha.12807
48. Kuhn Y-A, Keller M, Lauber B, Taube W. Surround inhibition can instantly be modulated by changing the attentional focus. *Sci Rep.* 2018;8(1). doi:10.1038/s41598-017-19077-0
49. Suzuki LY, Meehan SK. Attention focus modulates afferent input to motor cortex during skilled action. *Hum Mov Sci.* 2020;74(102716):102716.
50. Wulf G. An external focus of attention is a condition sine qua non for athletes: A response to Carson, Collins, and Toner (2015). *J Sports Sci.* 2016;34(13):1293-1295. doi:10.1080/02640414.2015.1136746
51. Wulf G, Lewthwaite R. Optimizing performance through intrinsic motivation and attention for learning: The OPTIMAL theory of motor learning. *Psychon Bull Rev.* 2016;23(5):1382-1414. doi:10.3758/s13423-015-0999-9
52. Brinkerhoff SA, Murrah WM, Hutchison Z, Miller M, Roper JA. Words matter: Instructions dictate "self-selected" walking speed in young adults. *Gait & Posture.* July 2019. doi:10.1016/j.gaitpost.2019.07.379
53. Cowling EJ, Steele JR, McNair PJ. Effect of verbal instructions on muscle activity and risk of injury to the anterior cruciate ligament during landing. *Br J Sports Med.* 2003;37(2):126-130. doi:10.1136/bjism.37.2.126
54. Faltus J, Criss CR, Grooms DR. Shifting focus: A clinician's guide to understanding neuroplasticity for anterior cruciate ligament rehabilitation. *Curr Sports Med Rep.* 2020;19(2):76-83. doi:10.1249/jsr.0000000000000688
55. Newell A, Rosenbloom PS. Mechanisms of skill acquisition and the law of practice. *Cognitive skills and their acquisition.* 1981;1(1981):1-55.
56. Blanchard S, Glasgow P. A theoretical model to describe progressions and regressions for exercise rehabilitation. *Phys Ther Sport.* 2014;15(3):131-135. doi:10.1016/j.ptsp.2014.05.001
57. Davids KW, Button C, Bennett SJ. Dynamics of Skill Acquisition: A Constraints-Led Approach. *Human Kinetics.* 2008.
58. Salmoni AW, Schmidt RA, Walter CB. Knowledge of results and motor learning: A review and critical reappraisal. *Psychol Bull.* 1984;95(3):355-386. doi:10.1037/0033-2909.95.3.355
59. Lohse KR, Jones M, Healy AF, Sherwood DE. The role of attention in motor control. *J Exp Psychol Gen.* 2014;143(2):930-948. doi:10.1037/a0032817
60. Wulf G, McNevin N, Shea CH. The automaticity of complex motor skill learning as a function of attentional focus. *Q J Exp Psychol A.* 2001;54(4):1143-1154. doi:10.1080/713756012
61. Taylor M, Golden G. The effect of attentional focus on gluteus medius recruitment and force production. *Athl train sports health care.* 2020;12(6):272-282. doi:10.3928/19425864-20200922-01
62. Clausen J-D, Nahen N, Horstmann H, et al. Improving maximal strength in the initial postoperative phase after anterior cruciate ligament reconstruction surgery: Randomized controlled trial of an app-based serious gaming approach. *JMIR Serious Games.* 2020;8(1):e14282. doi:10.2196/14282
63. Porter JM, Nolan RP, Ostrowski EJ, Wulf G. Directing attention externally enhances agility performance: A qualitative and quantitative analysis of the efficacy of using verbal instructions to focus attention. *Front Psychol.* 2010;1(216). doi:10.3389/fpsyg.2010.00216

64. Tsetse M, Zetou E, Vernadakis N, Michalopoulou M. The effect of internal and external focus of attention on game performance in tennis. *Acta Gymnica*. 2016;46(4):162-173. [doi:10.5507/ag.2016.021](https://doi.org/10.5507/ag.2016.021)
65. Banks S, Sproule J, Higgins P, Wulf G. Forward thinking: When a distal external focus makes you faster. *Hum Mov Sci*. 2020;74(102708):102708. [doi:10.1016/j.humov.2020.102708](https://doi.org/10.1016/j.humov.2020.102708)
66. Lawrence GP, Virian J, Oliver SJ, Gottwald VM. Lets go surfing now, everybody's learning how; attentional strategies on expert and novice surfing performance under both practice and competition conditions. *EJSS (Champaign)*. 2020;20(2):229-239. [doi:10.1080/17461391.2019.1626489](https://doi.org/10.1080/17461391.2019.1626489)
67. Singh H, Wulf G. The distance effect and level of expertise: Is the optimal external focus different for low-skilled and high-skilled performers? *Hum Mov Sci*. 2020;73(102663):102663. [doi:10.1016/j.humov.2020.102663](https://doi.org/10.1016/j.humov.2020.102663)
68. Coker C. Optimizing external focus of attention instructions: The role of attainability. *J Mot Learn Dev*. 2016;4(1):116-125. [doi:10.1123/jmld.2015-0024](https://doi.org/10.1123/jmld.2015-0024)
69. Winkelmann NC. *The Language of Coaching: The Art and Science of Teaching Movement*. Human Kinetics Publishers; 2020.
70. Newell KM, Ranganathan R. Instructions as constraints in motor skill acquisition. *Published online*. 2010.
71. Wohl TR, Criss CR, Grooms DR. Visual perturbation to enhance return to sport rehabilitation after anterior cruciate ligament injury: A clinical commentary. *Int J Sports Phys Ther*. 2021;16(2):552-564.
72. Barillas SR, Oliver JL, Lloyd RS, Pedley JS. Cueing the youth athlete during strength and conditioning: A review and practical application. *Strength Cond J*. 2020;43(3):29-42. [doi:10.1519/ssc.0000000000000567](https://doi.org/10.1519/ssc.0000000000000567)
73. Ford KR, Nguyen A-D, Hegedus EJ, Taylor JB. Vertical jump biomechanics altered with virtual overhead goal. *J Appl Biomech*. 2017;33(2):153-159. [doi:10.1123/jab.2016-0179](https://doi.org/10.1123/jab.2016-0179)
74. Leonard KA, Simon JE, Yom J, et al. The immediate effects of expert and dyad external focus feedback on drop landing biomechanics in female athletes: An instrumented field study. *Int J Sports Phys Ther*. 2021;16(1):96-105.
75. McKay B, Wulf G, Lewthwaite R, Nordin A. The self: Your own worst enemy? A test of the self-invoking trigger hypothesis. *Q J Exp Psychol*. 2015;68(9):1910-1919. [doi:10.1080/17470218.2014.997765](https://doi.org/10.1080/17470218.2014.997765)
76. Wulf G, Lewthwaite R. Effortless motor learning?: An external focus of attention enhances movement effectiveness and efficiency. In: *Effortless Attention*. The MIT Press; 2010:75-102. <https://doi.org/10.7551/mitpress/9780262013840.003.0004>.